Section 2.4 One sided limits 2 Lectures

Dr. Abdulla Eid


Department of Mathematics

MATHS 101: Calculus I

- Inding the one-sided limit algebraically.
- Pinding the one-sided limit graphically.

Motivational Example

Consider the function



Question: What can you say about the $\lim_{x\to 0} f(x)$?

Continue...

• If we approaches 0 from the **left** (values slightly less than 0), f(x) approaches -1. In this case, we say that the **limit from the left** is equal to -1 and we write it as

$$\lim_{x\to 0^-} f(x) = -1$$

If we approaches 0 from the **right** (values slightly greater than 0), f(x) approaches 0. In this case, we say that the **limit from the left** is equal to 0 and we write it as

$$\lim_{x\to 0^+} f(x) = 0$$

Theorem

$$\lim_{x \to a} f(x) = L \iff \lim_{x \to a^+} f(x) = L \quad and \quad \lim_{x \to a^-} f(x) = L$$

Otherwise, we say $\lim_{x\to a} f(x) = L$ Does Not Exist.

1 - Finding the one-sided limit algebraically

Example

Consider

$$f(x) = \begin{cases} \frac{x^2 - 4}{x - 2}, & x < 2\\ 3x + 1, & x \ge 2 \end{cases}$$

Solution:

•
$$\lim_{x \to 2^+} f(x) = \lim_{x \to 2^+} 3x + 1 = 7.$$

$$\lim_{x \to 2^{-}} f(x) = \lim_{x \to 2^{-}} \frac{x^2 - 4}{x - 2} = \lim_{x \to 2^{-}} \frac{(x - 2)(x + 2)}{(x - 2)} = \lim_{x \to 2^{-}} (x + 2) = 4.$$

◎ $\lim_{x\to 2} f(x) = \text{Does Not Exist}$, since $\lim_{x\to 2^-} f(x) \neq \lim_{x\to 2^+} f(x)$.

$$\lim_{x \to -4} f(x) = \lim_{x \to -4} \frac{x^2 - 4}{x - 2} = -6.$$

i
$$\lim_{x\to 0^+} f(x) = \lim_{x\to 0^+} 3x + 1 = 1.$$

Example

Consider

$$f(x) = \begin{cases} \frac{x^2 - 3x + 2}{x - 1}, & x \neq 1\\ 5x^2, & x = 1 \end{cases}$$

Solution:

lim_{x→1} f(x). Since the function has more than one definition near x = 1, we need to find the left and the right limits.

Hence $\lim_{x\to 1} f(x) = 3$, since $\lim_{x\to 1^-} f(x) = \lim_{x\to 1^+} f(x)$.

2 $\lim_{x\to 4} f(x) = \lim_{x\to 4} \frac{x^2 - 3x + 2}{x - 1} = 2.$

3
$$\lim_{x \to -1^+} f(x) = \lim_{x \to -1^+} \frac{x^2 - 3x + 2}{x - 1} = -3.$$

Exercise

Consider

$$f(x) = \begin{cases} \frac{x^2 - 4}{x - 2}, & 1.5 < x < 2\\ 5x^2 + 1, & x \ge 2\\ \frac{x^2 - 1}{x - 1}, & x \ne 1\\ 3, & x < 0 \end{cases}$$

- $Iim_{x \to 1^+} f(x)$
- $\lim_{x \to 1^-} f(x)$
- $\lim_{x \to 1} f(x)$
- $\lim_{x \to 2} f(x)$
- $Iim_{x\to 0} f(x)$
- $\bigcirc \lim_{x \to 1.5} f(x)$
- $Iim_{x \to -1} f(x)$

Example

Consider f(x) = |x|, which can be written as

$$f(x) = |x| = \begin{cases} x, & x \ge 0\\ -x, & x < 0 \end{cases}$$

2

Solution:

•
$$\lim_{x\to 0^+} f(x) = \lim_{x\to 0^+} x = 0.$$

$$Iim_{x \to 0^{-}} f(x) = Iim_{x \to 0^{-}} - x = 0.$$

3
$$\lim_{x\to 0} f(x) = 0$$
, since $\lim_{x\to 0^-} f(x) = \lim_{x\to 0^+} f(x)$.

Example

Find

$$\lim_{x \to -2^+} (x+3) \frac{|x+2|}{(x+2)}$$

. 2

Solution:

$$\lim_{x \to -2^+} (x+3) \frac{|x+2|}{(x+2)} = \lim_{x \to -2^+} (x+3) \frac{(x+2)}{(x+2)}$$
$$\lim_{x \to -2^+} (x+3) = 1$$

Example

Find
$$\lim_{x\to 0^-} \frac{\sqrt{x^2}}{x}$$

Solution:

$$\lim_{x \to 0^{-}} \frac{\sqrt{x^2}}{x} = \lim_{x \to 0^{-}} \frac{|x|}{x} \lim_{x \to 0^{-}} \frac{-x}{x} = -1$$

2 - Finding the one-sided limit graphically

Example

Consider the function

